



- | | |
|--|---|
| | Existing Boundary |
| | Existing trees |
| | Existing native hedge retained and under sown with wildflower seed |
| | Existing trees and/or vegetation to be removed |
| | Existing relocated memorial bench |
| | Existing grass retained and overseeded where necessary |
| | Proposed Semi mature 25-30cm girth tree with staking or underground guying as appropriate |
| | Proposed Semi mature 20-25cm girth tree with staking or underground guying as appropriate |
| | Proposed specimen tree 16-18cm girth or multistem tree 3-3.5m tall |
| | Proposed species-rich native hedge 1.5m tall at average 7 per sqm. |
| | Proposed ornamental shrub/perennial with feature specimens, 3-5L pots size at average 4 per sqm |
| | Proposed native structure planting 80-100cm whips in native species with average 5 per sqm. |
| | Proposed amenity turf |
| | Proposed wildflower seeding |
| | Earth mounding |
| | Steel and timber seat 1500mm long, Broxap Ravenstone Seat from Broxap or similar approved |
| | Timber seat 2000mm long, Woodscape Backless curved or similar approved |
| | Stainless steel bollard Broxap Mitred Top Sheffield with reflective strip or similar approved |
| | Stainless steel door barrier, Broxap BX14 6620 Door Barrier or similar approved |
| | Powder coated cycle shelter, Broxap Apollo Cycle Shelter or similar approved. Size dependant on cycle number |
| | Pedestrian Bitmac footpath with concrete pin kerb |
| | Natural stone slab paving, 450mm x various, Marshalls Graitte Mid/light grey, blast finished or similar approved |
| | Exposed aggregate paving, 450 x various Marshalls Conservation textured Silver grey or similar approved |
| | Exposed aggregate block paving, 160 x various Marshalls Conservation textured charcoal or similar approved |
| | Composite Timber Deck, Millboard Lasta Grip in Coppered Oak or similar approved. Suspended on ground screws - see ZLA_1302-L-303 for further details. |
| | DDA Compliant steps, to include handrails, nosing demarcation and tactile paving |
| | Bespoke timber seating and canopy. See ZLA_1302-L-303 for further details |
| | Tactile/hazard paving 450 x 450mm marshalls textured natural or similar approved |
| | Drop Kerb. To Engineers specification and detail |
| | Suggested location of retaining wall - to Engineers approval and detail |

- | | |
|--|--|
| | Existing Boundary |
| | Existing trees |
| | Existing native hedge retained and under sown with wildflower seed |
| | Existing trees and/or vegetation to be removed |
| | Existing relocated memorial bench |